

CLASSIFICATION: N/A

PRODUCT DESCRIPTION: Sta-Kleen EPU is a polyurethane coated fabric made in a dry manufacturing process. It has been designed for use in upholstered seating (12 52 19), healthcare seating (12 52 70), couches and love seats (12 58 13), reclining chairs (12 58 16 13), upholstered audience seating (12 61 13), Hotel and motel furniture (12 54 13), restaurant furniture (12 54 83) among other applications. The Sta-Kleen EPU collection consists of the following patterns: Criss Cross, Highwood, Hudson, Line Up, Lyra, Moire, Payson, Pebbles, Scales, Snake, Thunder Road, Tucson.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No
Percent Weight and Role Provided?

Screened Yes No
Using Priority Hazard Lists with Results Disclosed?

Identified Yes No
Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
STA-KLEEN EPU [POLYETHER LT-UNK POLYETHYLENE
TEREPHTHALATE (PET) LT-UNK POLYCARBONATE LT-UNK
POLYURETHANE LT-UNK SILICON LT-UNK PIGMENTS LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Information provided by manufacturing facility.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Volatile loss from Plastics Using Activated Carbon Methods; ASTM D1203-10

Formaldehyde content: JIS L1041-2011; Sec.8.1.4 Method B

Other: Pthalate Content CIPSA Section 108

Other: CIPSA section 101(a)(2)- Lead in accessible substrate materials.

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-03-29

PUBLISHED DATE: 2018-04-04

EXPIRY DATE: 2021-03-29



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

STA-KLEEN EPU

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Raw materials considered to be fully reacted or consumed in the process of manufacturing this product.

OTHER PRODUCT NOTES: Information provided by manufacturing facility.

POLYETHER

ID: 9003-11-6

#: 47.5000 - 49.5000 GS: LT-UNK RC: UNK NANO: No ROLE: Coating of base material

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Information provided by manufacturing facility.

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

#: 37.0000 - 38.5000 GS: LT-UNK RC: UNK NANO: No ROLE: Base fabric

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Provided by manufacturing facility

POLYCARBONATE

ID: 25037-45-0

#: 4.9000 - 6.0000 GS: LT-UNK RC: UNK NANO: No ROLE: Coating

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Provided by manufacturing facility

POLYURETHANE

ID: 9009-54-5

#: **0.0070 - 0.0200**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Stain resistant top coat**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Information provided by manufacturing facility.

SILICON

ID: **67763-03-5**

#: **0.0010 - 0.0025**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Stain resistant top coat**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Information provided by manufacturing facility.

PIGMENTS

ID: **51274-00-1**

#: **0.0000 - 3.9000**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **colorant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Various pigments combined in appropriate quantities to obtain the desired color. CAS number given is representative of the pigments used in this product as the exact formulation is considered proprietary by the manufacturer.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Volatile loss from Plastics Using Activated Carbon Methods; ASTM D1203-10

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2016-**

EXPIRY DATE:

CERTIFIER OR LAB: **Precision**

APPLICABLE FACILITIES: **All**

01-05

Testing Laboratories

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Percentage weight loss: 0.33**

FORMALDEHYDE CONTENT

JIS L1041-2011; Sec.8.1.4 Method B

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2017-**

EXPIRY DATE:

CERTIFIER OR LAB: **SGS North**

APPLICABLE FACILITIES: **ALL**

08-09

America

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Analysis was conducted with UV/VIS spectrophotometer. Result: 17 mg/kg
Detection Limit 16 mg/kg**

OTHER

Pthalate Content CIPSA Section 108

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2017-**

EXPIRY DATE:

CERTIFIER OR LAB: **SGS North**

APPLICABLE FACILITIES: **ALL**

08-09

America

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **With reference to CPSC-CH-C1001-09-3. Analysis was performed by Gas Chromatography/Mass Spectrometry. Conclusion: Pass (ND = not detected).**

OTHER

CIPSA section 101(a)(2)- Lead in accessible substrate materials.

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2017-**

EXPIRY DATE:

CERTIFIER OR LAB: **SGS North**

APPLICABLE FACILITIES: **ALL**

08-09

America

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Pass ND = not dedctected**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

CLEANING INSTRUCTIONS

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Day-to-Day Cleaning -- Remove ordinary dirt and smudges with mild soap and water. A 5:1 ratio of water to bleach solution may be used as a disinfectant. Rinse the surface with clean water after disinfecting. Dry with a soft, lint-free

cloth or towel. The use of conditioners or protectants is not required nor recommended for use on Sta-Kleen PC upholstery – its cleanability is permanent, and won't wear out. Stain Removal -- Upholstery protected with Sta-Kleen PC is resistant to most common stains. To keep furniture looking new, stains such as ballpoint pen can be dry-erased with a clean, lint-free cloth. Gently rub the area until the stain has been removed. Wet or gooey stains such as food stains (e.g., ketchup or jelly) or topical stains (e.g., antiseptics, lotions and cream) wipe first with a clean cloth or sponge, then follow the instructions above. Stubborn Stains -- If a ghost stain remains, apply a small amount of household rubbing alcohol (isopropyl alcohol) to a clean, lint-free cloth and rub the stain until it has been removed. Rinse with a clean, damp cloth and go!

Section 5: General Notes

All raw materials used in the production of these products (except the base fabric) were assumed to be fully utilized or consumed in the production of these products.



MANUFACTURER INFORMATION

MANUFACTURER: **The Mitchell Group**
ADDRESS: **7040 N. Austin Avenue**
Niles IL 60714, US
WEBSITE: **www.mitchellfauxleathers.com**

CONTACT NAME: **Jim Blesius**
TITLE: **Director of Marketing**
PHONE: **847-647-7300**
EMAIL: **jim@mitchellfauxleathers.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.