

HPD UNIQUE IDENTIFIER: 24908

CLASSIFICATION: 12 05 13 Fabrics

PRODUCT DESCRIPTION: VINYL UPHOLSTERY FABRIC DESIGNED FOR USE IN UPHOLSTERED SEATING (12 52 19), HEALTHCARE SEATING (12 52 70), COUCHES AND LOVE SEATS (12 58 13), RECLINING CHAIRS (12 58 16.13), UPHOLSTERED AUDIENCE SEATING (12 61 13), HOTEL AND MOTEL FURNITURE (12 54 13), RESTAURANT FURNITURE (12 54 83) AMONG OTHER APPLICATIONS. Patterns in the collection include Backgammon, Badminton, Billiards, Frisbee, Hopscotch, Polo, Roulette and Triathlon.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
<input type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input checked="" type="radio"/> Considered	Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Considered	<i>% weight and role provided for all substances.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Considered	Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided for Residuals/Impurities?	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

GRAND SLAM | **POLYVINYL CHLORIDE (PVC)** **LT-P1** | RES
PLASTICIZER **BM-2** | **MUL POLYETHYLENE TEREPHTHALATE (PET)**
LT-UNK **POLYURETHANE FOAMS** **LT-UNK** **LIMESTONE; CALCIUM**
CARBONATE **LT-UNK** **ZINC STEARATE** **LT-P1** **PIGMENTS** **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Information provided by the manufacturing facility.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC content data is not applicable for this product category

Formaldehyde content: JIS L1041-2011; Section 8.1.4 Method B

Other: CPSIA section 101(a)(2) Lead in Accessible substrate materials

Other: Phthalate Content CIPSA Section 108

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-05-25

PUBLISHED DATE: 2021-05-26

EXPIRY DATE: 2024-05-25

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

GRAND SLAM

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Information provided by the manufacturing facility.

OTHER PRODUCT NOTES: Information provided by the manufacturing facility.

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-25 9:44:21

#: 35.0000 - 40.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
-----	-------------------	-------------------------------------

SUBSTANCE NOTES: Information provided by the manufacturing facility. This material is fully encapsulated in the product and there is no residual powder form on the product which is what is referred to in the material hazard notes.

PLASTICIZER

ID: 68937-41-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-25 9:44:21

#: 24.5000 - 27.5000 GS: BM-2 RC: UNK NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
-----	---	-----------------------------------

SUBSTANCE NOTES: Information provided by the manufacturing facility.

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-25 9:44:22

#: 13.0000 - 15.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Information provided by manufacturing facility.

POLYURETHANE FOAMS

ID: 9009-54-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2021-05-25 9:44:23**

#: **2.5000 - 5.0000**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Coating**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Information provided by manufacturing facility.

LIMESTONE; CALCIUM CARBONATE

ID: **1317-65-3**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2021-05-25 9:44:24**

#: **2.0000 - 5.0000**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Information provided by manufacturing facility

ZINC STEARATE

ID: **557-05-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2021-05-25 9:44:24**

#: **0.5000 - 1.5000**

GS: **LT-P1**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Information provided by manufacturing facility.

PIGMENTS

ID: **51274-00-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2021-05-25 9:44:24**

#: **0.0000 - 3.0000**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Various pigments combined in appropriate quantities to obtain the desired color. CAS number given is representative of the pigments used in this product as the exact formulation is considered proprietary by the manufacturer.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC content data is not applicable for this product category		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2021-05- 25	EXPIRY DATE:	CERTIFIER OR LAB: N/A
CERTIFICATION AND COMPLIANCE NOTES: VOC content data is not applicable for this product category.			
FORMALDEHYDE CONTENT	JIS L1041-2011; Section 8.1.4 Method B		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL CERTIFICATE URL:	ISSUE DATE: 2017-01- 10	EXPIRY DATE:	CERTIFIER OR LAB: SGS North America
CERTIFICATION AND COMPLIANCE NOTES: Detection limit 16 mg/kg; Result = Not Detected. Analysis was conducted with UV/VIS spectrophotometer.			
OTHER	CPSIA section 101(a)(2) Lead in Accessible substrate materials		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL CERTIFICATE URL:	ISSUE DATE: 2017-01- 10	EXPIRY DATE:	CERTIFIER OR LAB: SGS North America
CERTIFICATION AND COMPLIANCE NOTES: CPSIA section 101(a)(2) Lead in Accessible substrate materials Test Method CPSC-CH-E1002-08.1 "Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children's Product. Result = Not Detected. Pass			
OTHER	Phthalate Content CIPSA Section 108		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: ALL CERTIFICATE URL:	ISSUE DATE: 2017-01- 10	EXPIRY DATE:	CERTIFIER OR LAB: SGS North America
CERTIFICATION AND COMPLIANCE NOTES: Analysis was performed by Gas Chromatography/Mass Spectrometry with reference to CPSC-CH-C1001-09.3. RESULTS: Not Detected. Conclusion: Pass			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

CLEANING INSTRUCTIONS	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Remove ordinary dirt and smudges with mild soap and water. A 5:1 ratio of water to bleach solution may be used as a disinfectant. Rinse the surface with clean water after disinfecting. Dry with a soft, lint-free cloth or towel. Although Grand Slam performance fabrics are resistant to most common stains, the dyes and pigments in some staining agents have the ability to create a permanent stain if not treated properly. To clean difficult stains from Grand Slam upholstery use a household cleaner such as Formula 409® All-Purpose Spray Cleaner, Clorox Disinfecting Wipes or Lysol Multi-Purpose Cleaner; or a commercial cleaner such as Oxivir Tb Wipes or Cavi Wipes XL. After cleaning rinse the area with fresh water then dry with a clean, lint-free cloth. If a ghost stain remains, use a solvent-type cleaner, such as rubbing alcohol (isopropyl alcohol-91%). Rinse the cleaned area with fresh water then dry with a clean, lint-free cloth.	

Section 5: General Notes

Information regarding raw materials and concentrations provided by manufacturing facility.

MANUFACTURER INFORMATION

MANUFACTURER: The Mitchell Group
ADDRESS: 7040 N. Austin Avenue
 Niles IL 60714, US
WEBSITE: www.mitchellfauxleathers.com

CONTACT NAME: Jim Blesius
TITLE: Director of Marketing
PHONE: 8476477300
EMAIL: jim@mitchellfauxleathers.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.