

CLASSIFICATION: NA

created via: HPDC Online Builder

PRODUCT DESCRIPTION: POLYURETHANE UPHOLSTERY FABRIC DESIGNED FOR USE IN UPHOLSTERED SEATING (12 52 19), HEALTHCARE SEATING (12 52 70), COUCHES AND LOVE SEATS (12 58 13), RECLINING CHAIRS (12 58 16.13), UPHOLSTERED AUDIENCE SEATING (12 61 13), HOTEL AND MOTEL FURNITURE (12 54 13), RESTAURANT FURNITURE (12 54 83) AMONG OTHER APPLICATIONS.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
 - Partially Considered
 - Not Considered
- Explanation(s) provided for Residuals/Impurities?
- Yes No

Are All Substances Above the Threshold Indicated:

- Characterized**
Percent Weight and Role Provided? Yes No
- Screened**
Using Priority Hazard Lists with Results Disclosed? Yes No
- Identified**
Name and Identifier Provided? Yes No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

STA-KLEEN PC - SPARKLE [POLY (BISPHENOL A CARBONATE) NoGS
POLYETHYLENE TEREPHTHALATE (PET) (POLYETHYLENE
TEREPHTHALATE (PET)) LT-UNK LIGNIN NoGS ALUMINA TRIHYDRATE
(ALUMINA TRIHYDRATE) BM-2 | RES PIGMENTS LT-UNK]

Number of Greenscreen BM-4/BM3 contents..... 0
Contents highest concern GreenScreen
Benchmark or List translator Score..... LT-UNK
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

Residuals and Impurities Notes: The materials used in the manufacture are assumed to be 99.95% pure unless otherwise noted. All raw materials are consumed in the processing required to produce this product thereby eliminating residuals.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

Formaldehyde content: JIS L 1041-2011; Section 8.1.4 Method B
Other: CPSIA Section 108 - Pthalate Content
Other: CPSC Section 101(a)(2) - Lead in accessible substrate materials

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2017-12-06
PUBLISHED DATE: 2017-12-07
EXPIRY DATE: 2020-12-06

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

STA-KLEEN PC - SPARKLE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities Notes: The materials used in the manufacture are assumed to be 99.95% pure unless otherwise noted. All raw materials are consumed in the processing required to produce this product thereby eliminating residuals.

OTHER PRODUCT NOTES: All known relevant information as provided by the manufacturer has been accounted for.

POLY (BISPHENOL A CARBONATE)

ID: 24936-68-3

#: 47.0000 - 61.0000 GS: NoGS RC: UNK NANO: No ROLE: Primary resin in coatings

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Content information provided by manufacturing facility.

POLYETHYLENE TEREPHTHALATE (PET) (POLYETHYLENE TEREPHTHALATE (PET))

ID: 25038-59-9

#: 35.0000 - 45.0000 GS: LT-UNK RC: UNK NANO: No ROLE: Base fabric

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Content information provided by manufacturing facility.

LIGNIN

ID: 86855-54-1

#: 1.4000 - 1.9000 GS: NoGS RC: UNK NANO: No ROLE: padding

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This material is fully encapsulated in the product.

%: 1.4000 - 1.9000

GS: BM-2

RC: UNK

NANO: No

ROLE: padding

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: This material is fully encapsulated in the product and would not pose the same hazards as the loose material in powder form.

PIGMENTS

ID: 51274-00-1

%: 0.0000 - 1.8000

GS: LT-UNK

RC: UNK

NANO: No

ROLE: colorant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Various pigments combined in appropriate quantities to obtain the desired color. CAS number given is representative of the pigments used in this product as the exact formulation is considered proprietary by the manufacturer.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

FORMALDEHYDE CONTENT**JIS L 1041-2011; Section 8.1.4 Method B**

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2017-08-

EXPIRY DATE:

CERTIFIER OR LAB: SGS North

APPLICABLE FACILITIES: All

18

America

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: ND @ 16 mg/kg level

OTHER**CPSIA Section 108 - Pthalate Content**

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2017-08-

EXPIRY DATE:

CERTIFIER OR LAB: SGS North

APPLICABLE FACILITIES: All

18

America

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: CIPSA Section 108 - Pthalate Content : Pass

OTHER**CPSC Section 101(a)(2) - Lead in accessible substrate materials**

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2017-08-

EXPIRY DATE:

CERTIFIER OR LAB: SGS North

APPLICABLE FACILITIES: All

18

America

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: CPSC Test Method: CPSC-CH-E1002-08.1 "Standard Operation Procedure for Determining Total Lead(PB) in Non-Metal Children Product" Pass ND @ 0.002%

+ Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

CLEANING INSTRUCTIONS

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Day-to-Day Cleaning -- Remove ordinary dirt and smudges with mild soap and water. A 5:1 ratio of water to bleach solution may be used as a disinfectant. Rinse the surface with clean water after disinfecting. Dry with a soft, lint-free cloth or towel. The use of conditioners or protectants is not required nor recommended for use on Sta-Kleen PC upholstery – its cleanability is permanent, and won't wear out. **Stain Removal** -- Upholstery protected with Sta-Kleen PC is resistant to most common stains. To keep furniture looking new, stains such as ballpoint pen can be dry-erased with a clean, lint-free cloth. Gently rub the area until the stain has been removed. Wet or gooey stains such as food stains (e.g., ketchup or jelly) or topical stains (e.g., antiseptics, lotions and cream) wipe first with a clean cloth or sponge, then follow the instructions above. **Stubborn Stains** -- If a ghost stain remains, apply a small amount of household rubbing alcohol (isopropyl alcohol) to a clean, lint-free cloth and rub the stain until it has been removed. Rinse with a clean, damp cloth and go!

Section 5: General Notes

All raw materials used in the production of these products were assumed to be at least 99.95% pure and to be fully utilized or consumed in the production of these products. As such, they would fall below the 100 ppm threshold reporting criteria.

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **The Mitchell Group**

ADDRESS: **7040 N. Austin Avenue**

Niles IL 60714, United States

WEBSITE: **www.mitchellfauxleathers.com**

CONTACT NAME: **Jim Blesius**

TITLE: **Director of Marketing**

PHONE: **847-647-7300**

EMAIL: **jim@mitchellfauxleathers.com**

KEY

OSHA MSDS

Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS

Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.